



### Legend

#### Code Communities

- |             |  |
|-------------|--|
| <b>S</b>    | <i>Spartinetum townsendii</i>  |
| <b>Q</b>    | <i>Salicornietum strictae</i>  |
| <b>Q/St</b> | <i>Salicornietum strictae</i> / <i>Aster tripolium</i>   |
| <b>P</b>    | <i>Puccinellietum</i> - initial phase with <i>Puccinellia maritima</i>   |
| <b>Pas</b>  | <i>Puccinellietum</i> - variant with <i>Aster tripolium</i>  |
| <b>Ph</b>   | <i>Puccinellietum</i> - variant with <i>Halimolone portulacoides</i>   |
| <b>Pl</b>   | <i>Puccinellietum</i> - variant with <i>Limonium vulgare</i>   |
| <b>Pp</b>   | <i>Puccinellietum</i> - facies of <i>Puccinellia maritima</i>  |
| <b>Ps</b>   | <i>Puccinellietum</i> - initial phase with <i>Spartina anglica</i>   |
| <b>St</b>   | <i>Aster tripolium</i> -sociation  |
| <b>H</b>    | <i>Halimionetum portulacoides</i>  |
| <b>Hf</b>   | <i>Halimionetum</i> - terminal phase with <i>Artemisia maritima</i>  |
| <b>Ag</b>   | <i>Juncetum gerardii amerietosum</i> - variant with <i>Agrostis stolonifera</i> and <i>Festuca rubra</i> nom. nov. |
| <b>Aj</b>   | <i>Juncetum gerardii amerietosum</i> - variant with <i>Juncus gerardii</i>   |
| <b>Al</b>   | <i>Juncetum gerardii</i> variant with <i>Limonium vulgare</i> and <i>Plantago maritima</i>                         |
| <b>Jg</b>   | <i>Juncetum gerardii inops</i> - variant with <i>Agrostis stolonifera</i> and <i>Festuca rubra</i>                 |
| <b>Ji</b>   | <i>Juncetum gerardii inops</i> - variant with <i>Juncus gerardii</i>   |
| <b>Ro</b>   | <i>Ononido-Caricetum distantis</i>   |
| <b>R</b>    | <i>Agropyretum repens maritimum</i>  |

- |              |  |
|--------------|--|
| <b>F</b>     | <i>Artemisietum maritimae typicum</i>                            |
| <b>Fa</b>    | <i>Artemisietum maritimae amerietosum</i>                        |
| <b>Ft</b>    | <i>Artemisietum</i> - facies of <i>Artemisia maritima</i>        |
| <b>Ful</b>   | <i>Artemisietum maritimae</i> / <i>Agropyron</i>                 |
| <b>Fe</b>    | <i>Artemisietum</i> - facies of <i>Agropyron pungens</i>         |
| <b>Bl</b>    | <i>Halo-Scirpetum maritimi</i>                                   |
| <b>B</b>     | <i>Phragmites australis</i> -consociation                        |
| <b>Bm</b>    | <i>Juncus maritimus</i> - <i>Oenanthe lachenalii</i> association |
| <b>Priel</b> | Priel  |
| <b>Mud</b>   | Mud  |
| <b>Ru</b>    | <i>Poa-Lolietum</i>  |
| <b>R</b>     | Grassland  |

#### Additional Codes

- |               |        |                   |              |
|---------------|--------|-------------------|--------------|
| <b>Marsh</b>  | Marsh  | <b>Northsea</b>   | Northsea     |
| <b>Polder</b> | Polder | <b>Pit</b>        | Pit          |
| <b>Geest</b>  | Geest  | <b>Sand</b>       | Sand         |
| <b>Dunes</b>  | Dunes  | <b>Settlement</b> | Settlement   |
| <b>Dike</b>   | Dike   | <b>Wurt</b>       | Wurt         |
| <b>Water</b>  | Water  | <b>nn</b>         | not assigned |

### DETAILED VEGETATION MAPS OF THE WADDEN SEA ISLANDS AND COASTAL AREAS

Compiled by: K. S. Dijkema, Rijksinstituut voor Natuurbeheer, Texel

Overview 1 : 100.000 sheet 1

ALTERA  
WAGENINGEN UR

nature-consult

GIS-Compilation: H.-P. Dauck  
WGS\_1984\_UTM\_Zone\_32N  
0 0.9 1.8 2.7 3.6 4.5  
Kilometer  
nature-consult  
Hackelbrink 21  
D-31139 Hildesheim  
www.nature-consult.de